

Dear Healthcare Professional,

Thank you for your interest in working with HealthSource Global Staffing!

HealthSource provides a new and exciting program that offers excellent pay for short-term assignments. We offer the flexibility of working for just a few days on a strike assignment or up to thirteen weeks as a traveler. This gives you the opportunity to have better flexibility and control over your work and life activities.

Whether you are a Registered Nurse, Technician, Therapist, CNA or other medically skilled professional, we welcome you to the HealthSource team.

Please be sure to pay close attention to our file requirements, which vary with your medical specialty. Your file needs to be complete prior to traveling with HealthSource. Our staff will work with you to facilitate this process. You are required to bring a complete file with you on all assignments.

Thank you for choosing to travel with HealthSource!

Sincerely,

HEALTHSOURCE GLOBAL STAFFING

What to Bring To Your Assignment

• Complete File

Hand-carry your complete file. Do not pack it in your luggage as it can become separated from you. All HealthSource Global documentation must reflect your legal name. Your file should include everything listed on the Standard File Requirements Checklist. Your recruiter will inform you of any additional requirements.

• Cash and/or Credit Cards

As with any trip that you might take, incidental expenses will occur. Please make sure you travel with enough cash, credit/debit cards or traveler's checks to cover meals, laundry, telephone calls, transportation for your leisure time and any incidental expenses.

Working Uniform or Scrubs

Hospitals do not provide working uniforms or scrubs for most specialties. Please bring the appropriate attire for your nursing specialty or medical profession.



HealthSource Global Staffing Standard File Requirements

Certain facilities may request additional documentation. Your file must be complete and in compliance while on assignment. Please provide clear photocopies of all certifications, nursing licenses, social security card, and your government issued photo ID.

Your complete file should include the following doc	cuments:
☐ Consent for Background Investigation & Drug Screening	T.
☐ Physical within 1 year—Date of physical//	☐ Employment Application
_ , , , , , <u> </u>	Professional Reference #1 (Current within 1-year)
☐ Negative PPD within 1 year—Date Read//	Professional Reference #2 (Current within 1-year)
Chest x-Ray within 2 Years—Date Given//	State License Lic # Expires/_/
☐ Annual TB Questionnaire—Date Completed / /	Government Issued Photo ID—passport or driver's license
_	Hand-carry original and include a clear photocopy
IMMUNIZATION STATUS	Social Security Card—for payroll purposes
☐ Hep B Vaccination Declination	 Hand-carry original and include a clear photocopy
☐ Hep B Titer Immune ☐ Non Immune ☐	Clinical Skills Checklist—Specialty
☐ Hep B Series 1)/2)/3)/	☐ Clinical Skills Checklist—Specialty
Proof of immunizations or positive titer results for Mumps. Rubeola (Measles), Rubella and Varicella. Immunizations must include the date give and initials of the healthcare provider. The titre results can show the words "positive/immune," or a numerical value. If a numerical value is given, a lab range indicating whether a number reflects a positive titer must be included. History of disease is not acceptable. MMR Immunization(s)—Date/ Date/ Date/ OR	CERTIFICATIONS (clear photocopies of front and back) □ BLS Expires// (required for ALL units) □ ACLS Expires// (ER, ICU, & PACU) □ PALS Expires// (NICU & L&D) □ NRP Expires// (NICU & L&D) □ Fetal Heart Monitoring (L&D) □ Basic □ Advanced □ Other: Expires// □ Other: Expires// □ Other: Expires// □ Other: Expires//
☐ Rubella Titer Immune ☐ Non Immune☐	SIGNATURE DOCUMENTS
☐ Rubeola Titer Immune☐ Non Immune☐	Employee Confidentiality Agreement
☐ Mumps Titer Immune ☐ Non Immune ☐	☐ Employee Awareness Statement for California Penal Codes
	Evaluation of Age Specific Performance Expectations
☐ Varivax Immunization—Date//	☐ Health Insurance Portability & Accountability Act (HIPAA)
OR	☐ Blood Borne Pathogens In-Service
☐ Varicella Titer Immune ☐ Non Immune ☐	☐ OSHA Standards and Competency Assessment
	☐ Medication Test
PAYROLL DOCUMENTS	☐ Competency Test
☐ Notarized I-9 form	2008 National Patient Safety Goals

All Standard File Requirements must remain current while on assignment. Noncompliance will not be tolerated by the company or medical facility.

☐ W-4 form



Employment Application

Last Name(Name as it appears on you SS card)		First Name		Middle
Street(Current/Permanent Mailing Address)			Count	у
City	Province/State	Zip Code	Phone #	
Email Address				
Social Security Number			Date of Bir	rth
Emergency Contact Name		Phone #		Cell #
Type of Professional RN LVN/L	PN 🗌 TECH 🗌 CI	NA Other please	specify 🗌	
Are you currently working in your profe	ession? Yes 🗌 No [If no, why?		
What language(s) do you speak fluentl	y?	H	How did you hear abo	out us?
Licensure: (Include clear photocopies	of all licenses held.)			
State: License #	Exp. Date:	State:	License #	Exp. Date:
State: License #	Exp. Date:	State:	License #	Exp. Date:
Current Certifications: (Provide clear p	photocopies of all cer	tification held)		
☐ BLS ☐ ACLS ☐ PA				
Expires Expires Other (s)			s Expires	Expires
Education	City 8	& State	Month/Year	Diplomas,
College			Graduated	Degrees received
Graduate School				
Employment History (E				
We will us	e your current res	sume for all other	r job history info	rmation
Hospital/Employer		Te	aching Facility: Y/N	N Pay Rate: \$/hr or yr
Street address		City		_ State Zip
Dates of employed: From	To	Reason for leaving		
Position held	Unit Spe	ecialty	Did y	ou do charge? Y / N
Responsibilities				
Immediate Supervisor		Pho	ne	·



Hospital/Employer	Teaching Facility: Y / N Pay Rate: \$/hr or yr
Street address City	State Zip
Dates of employed: From To Reason for le	eaving
Position held Unit Specialty	Did you do charge? Y / N
Responsibilities	
Immediate Supervisor	Phone
Hospital/Employer	Teaching Facility: Y / N Pay Rate: \$/hr or yr
Street address City	State Zip
Dates of employed: From To Reason for le	eaving
Position held Unit Specialty	Did you do charge? Y / N
Responsibilities	
Immediate Supervisor	Phone
 Yes No Is there any medical condition(s) which may limit yee Yes No Have you ever been convicted of a crime other than Yes No Has your professional license or certification ever been than the second that the second that the second that the second that the second than the second	n a minor traffic violation? een investigated or suspended?
Can you submit verification of your legal right to work in the USA? Yes I attest that the information provided in this application is complete a incomplete or inaccurate information my result in disqualification from that could result in civil penalties.	and accurate, to the best of my knowledge. Providing
Print Name	
Signature	Date



Employee Authorization to Release Employee Information and Consent for Background Investigation and Random Drug Screening

My signature below signifies my authorization for HealthSource Global Staffing to release any or all information contained within my employment file to any medical facility or entity with whom the company contacted to receive HealthSource Global Staffing and any regulatory or governmental agency upon that agency's request. My signature further allows HealthSource Global Staffing to request any additional necessary medical information from my care provider(s) to complete HealthSource Global Staffing medical history for my employee file.

I agree to submit to random alcohol and/or drug screens used for the purpose of determining my fitness for employment or continued employment, and I hereby authorize HealthSource Global Staffing to conduct background investigations of my activities, education and employment.

I agree that HealthSource may make the decision to release any and all information at its discretion providing such release is made to authorized representatives of appropriate entities as described. I understand that in all other cases, my employment records will remain confidential and will only be released with my written authorization.

My signature here indicates that I have read this <u>Employee Authorization to Release Employee</u> <u>Information and Consent for Background Investigation and Random Drug Screening</u> in its entirety and understand its contents.

Print Name	
Signature	Date
o.g. a.a.	24.0
HealthSource Representative	Date



Employee Awareness Statement for California Penal Codes

California Law requires all hospital employees to sign statements acknowledging that they are aware of their responsibilities with regard to section 11166 of the California Penal Code and Section 15630 of the California Welfare and Institutions Code, and to comply with the state obligations.

Section 11166 (Child Abuse) of the Penal Code requires any child care custodian, medical practitioner or employee of a child protective agency who has knowledge of or observes a child in his/her professional capacity or within the scope of his/her employment who he/she knows or reasonably suspects has been the victim of child abuse to report the suspected instance of child abuse to a child protective agency immediately or as soon as practically possible by telephone and to prepare and send a written report thereof within 36 hours of receiving the information concerning the incident.

Section 15630 (Elder Abuse) of the Welfare and Institutions Code requires any elder of dependent adult care custodian, health practitioner, or employee of a county adult protective services agency or a local law enforcement agency who in his/her professional capacity or within the scope of his/her employment, either has observed and incident that reasonably appears to be physical abuse, has observed a physical injury where the nature of the injury, it's location on the body or the repetition of the injury, clearly indicates that physical abuse had occurred, or is told by an elder or dependent adult that he/she has experienced behavior constituting physical abuse, shall report the known or suspected instance of physical abuse either to the long-term care ombudsman coordinator or to a local law enforcement agency when the physical abuse is alleged to have occurred in a long-term care facility, or to their county adult protective services agency or to a local law enforcement agency when the physical abuse is alleged to have occurred anywhere else, immediately or as soon as possible, by telephone and to prepare and send a written report thereof within 36 hours.

Section 11160-1163 (Suspected Violent Injuries/Suspected Domestic Violence Injuries) of the Penal Code requires reporting of any cases of patients with physical injuries caused by violent behavior to include domestic violence. Any health practitioner employed in a health facility, clinic, or physicians office who is in his/her professional capacity or within the scope of his/her employment, provides medical services for physical condition to a patient whom he/she knows or reasonably suspects is a person described as follows, shall immediately make a report of:

- 1. Any person suffering from any wound or other injury inflicted by his/her own act or inflicted by another where the injury is by means of a firearm.
- 2. Any person suffering from any wound or other physical injury inflicted upon the person where the injury is the result of assaultive or abusive conduct

This report shall be made to a local law enforcement agency as follow:

- 1. A report by telephone shall be made immediately or as soon as practically possible.
- 2. A written report shall be prepared and sent to a local law enforcement agency within two working days of receiving the information regarding the person.

I certify that I have read and understand this statement and will comply with my obligation under these laws. Furthermore, I understand that I may be fully prosecuted by the State under these Penal Codes for failure to comply with the law.

Print Name	
Signature	Date
HealthSource Representative	 Date
rieditiisource Representative	Date



Employee Confidentiality Agreement

As an employee of HealthSource Global Staffing, you have both a legal and ethical responsibility to protect the privacy of employees, client nurses and hospitals as well as all proprietary information of HealthSource Global Staffing. All information that you see or hear regarding nurses, staff, patients, directly or indirectly, is completely confidential and must not be discussed or released in any form, except when required in the performance of your duties. If you have access to employee information, you are expected to treat such information in the same confidential manner.

Unauthorized disclosure of medical information is also criminally punishable as a misdemeanor. The mere public acknowledgement of HIV disease, psychiatric disorders, drug abuse or alcohol abuse may expose the company to both substantial fines and liability to the person.

Any information provided to you by the nurses or hospitals is considered confidential and should not be shared with other except when required in the performance of your duties. I have read the above information and understand that any violation of this agreement is cause for immediate action.

Print Name	
Signature	Date



Health Insurance Portability and Accountability Act (HIPAA)

This notice describes how health information about you may be used and disclosed. This is required by the Privacy Regulations created as a result of the Health Insurance Portability and Accountability Act of 1996 (HIPAA).

I authorize HealthSource Global Staffing the use and disclosure of my health information. I understand that this will be used by HealthSource Global Staffing and its clients to evaluate my qualifications for employment opportunities as it relates to the healthcare field. This information may also be used for workers compensation and similar programs, and/or when necessary to reduce or prevent a serious threat to your health and safety, or health and safety of others. We will only make disclosures to a person or organization able to help prevent the threat.

I further understand that if a person that receives this information is not a healthcare provider, the information disclosed may be re-disclosed and no longer protected by regulations. I understand that I may revoke this authorization at any time by sending a written request to HealthSource Global Staffing, except to the degree that action has been taken in reliance on upon this authorization.

This authorization will expire one year from the dated signature below.	
Print Name	
Signature	Date



Evaluations for Age Specific Performance Expectations

Neonate / Infant Involves the parent/guardian in care/teaching Provides a pacifier/distraction prn (as directed) Keeps parents in infant's line of vision, within safety specifications Offers familiar objects to infant Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows provides for privacy for adolescent patients Allows the patient in care/teaching Involves the patient in planning and providing of care Allows spatient to maintain control and involves in decision making whenever possible Fincourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection		Almost	C	Almost	B1 / A
Involves the parent/guardian in care/teaching Provides a pacifier/distraction pm (as directed) Keeps parents in infant's line of vision, within safety specifications Offers familiar objects to infant Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows for privacy for adolescent patients Allows for privacy for adolescent patients Allows the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Explains patient to maintain control and decision making in care when possible Formation of the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Formation of the patient in planning and providing of care Allows patient to maintain control and decision making in car	Noonato / Infant	Never	Sometime	Aiways	N/A
Provides a pacifier/distraction prn (as directed) Keeps parents in infant's line of vision, within safety specifications Offers familiar objects to infant Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Encourages potential for loss of hearing and/or sight Slows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Keeps parents in infant's line of vision, within safety specifications Offers familiar objects to infant Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	·				
Offers familiar objects to infant Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Cuddles and hugs infant Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient to maintain control and decision making in care when possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	· · ·				
Ensures infant warmth during care/procedures Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows child to have some control/choices when possible Explains unfamiliar objects Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	-				
Preschooler Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Involves the patient and parent/guardian in care/teaching Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Explains procedures using child's terminology Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Uses praise as a reward for desired behavior Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in care/teaching Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Plans care/procedures in advance to decrease child's waiting time. Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	<u> </u>				
Allows child to have some control by allowing choices Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows the patient in care/teaching Involves the patient in of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	·				
Explains unfamiliar objects Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in of planning and providing of care Allows patient to maintain control and decision making in care when possible Encourages verbalization of fears Geriatric Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Plans care/procedures in advance to decrease child's waiting time.				
Involves child in care whenever possible School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Allows child to have some control by allowing choices				
School Age/Adolescent Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in of planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Explains unfamiliar objects				
Involves the patient in care/teaching Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Involves child in care whenever possible				
Encourage questions during procedures Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	School Age/Adolescent				
Is aware of importance of relationship with peers (may need friends to visit) Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Involves the patient in care/teaching				
Allows child to have some control/choices when possible Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Encourage questions during procedures				
Explains unfamiliar objects Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Is aware of importance of relationship with peers (may need friends to visit)				
Always provides for privacy for adolescent patients Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Allows child to have some control/choices when possible				
Allows for personal hygiene needs Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Explains unfamiliar objects				
Adult Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Always provides for privacy for adolescent patients				
Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Allows for personal hygiene needs				
Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Adult				
Involves the patient in planning and providing of care Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Involves the patient in care/teaching				
Allows patient to maintain control and involves in decision making whenever possible Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	•				
Encourages verbalization of fears Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Geriatric Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	possible				
Involves the patient in care/teaching Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Encourages verbalization of fears				
Involves the patient in planning and providing of care Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Geriatric				
Allows patient to maintain control and decision making in care when possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	Involves the patient in care/teaching				
possible Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Recognizes potential for loss of hearing and/or sight Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Slows pace of care to allow for slower mobility of elderly Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection	-				
Adjusts for transportation and mobilization needs Monitors for breakdown of skin and need for increased protection					
Monitors for breakdown of skin and need for increased protection	·				
·	-				
Assists with meals as needed	Assists with meals as needed				

Print Name Signature Date

Competency Test

The following questionnaire is generic in nature and is in addition to any specific orientation you will receive from any of the organizations for which you will be assigned. Individual organizational goals, policies or procedures will supersede this questionnaire and any generic information you receive regarding the covered topics. This is a requirement of Health Source Global and must be completed and returned to your file. Passing score is 80 percent.

- 1. Which of the following is the appropriate behavior to assure password security and confidentiality of information?
 - a. You may use your co-workers password to access the computer system
 - b. To quickly enter the system, all staff can use a generic password posted near the computer
 - c. You should exit out of the system before leaving the workstation.
 - d. You may look up your own and your family's medical information on the computer system.
- 2. Measures to help calm a potentially violent person include the following except.
 - a. Give full attention to the person.
 - b. Position yourself for a safe exit.
 - c. Keep very close to the person.
 - d. Speak in a calm voice and be aware of your body language.
- 3. When a disaster response is required, staff should.
 - a. Report to the parking garage.
 - b. Remove their ID's
 - c. Follow their department specific disaster response plan.
 - d. Use the telephones and elevators for non-emergency needs.
- 4. Which of the following is an example of an electrical hazard in the workplace?
 - a. Pulling on electrical cords to unplug the equipment.
 - b. A frayed cord with exposed wires.
 - c. The combination of a metal bed frame, wet bedding and faulty wiring.
 - d. A and B only.
 - e. All of the above

- 5. You need to plug in a piece of office equipment. What color receptacle/s should you use?
 - a. Red
 - b. White
 - c. Orange
 - d. Gray/Brown
 - e. The closest outlet color doesn't matter.
- 6. Be sure that the medical equipment that you use:
 - a. Has a current inspection sticker placed by Clinical Engineering.
 - b. Is in proper working condition.
 - c. Is taken out of service if not working properly, labeled with the problem and send for repair.
 - d. You have been trained to use.
 - e. All of the above.
- 7. Medical equipment brought in by an inpatient should:
 - a. Be switched as soon as possible to hospital equipment that the staff is trained to use.
 - b. Be used throughout their hospital stay
 - c. Be stored in Human resources for safekeeping.
 - d. Be inspected by an outside vendor.
- 8. What should an employee who discovers a fire at work do second?
 - a. Rescue/remove anyone in immediate danger.
 - b. Alert others by activating the alarm.
 - c. Contain the fire.
 - d. Extinguish the fire.
- 9. What step is missing from the following procedure for the operation of a fire extinguisher? Break the seal, Aim the hose at the base of the fire, squeeze the handle, Sweep.
 - a. Remove the cap
 - b. Insert the pin
 - c. Pull the pin
 - d. Shake the container
- 10. The following information can be found on the MSDS sheet.
 - a. How to clean up a chemical spill
 - b. First aid measures
 - c. Exposure controls and personal protection
 - d. All of the above

- 11. In most areas there is a process to keep regulated and non-regulated medical waste separated. How is this accomplished?
 - a. Regulated medical waste is placed in clear bags and non-regulated medical waste is placed in red bags
 - b. Regulated medical waste is placed in red bags and non regulated medical waste is placed in clear bags
 - c. In some areas red bags are only kept in rooms where there is a large volume of bodily fluids or in general area such as a soiled utility room.
- 12. Products containing mercury should be:
 - a. Placed in bags in the soiled utility room.
 - b. Tossed in the regular trash.
 - c. Placed in red bags with regulated medical waste.
 - d. Labeled and separated in your department for pick up.
- 13. A basic principle of Universal Precautions/Universal Body Substance Precautions is:
 - a. To consider all body fluids potentially dangerous.
 - b. To wear gloves at all times.
 - c. To keep patient's room doors closed at all times.
 - d. To place all patients with infections in isolation.
- 14. The most important method to prevent the spread of infection is:
 - a. Isolation procedures
 - b. Ultraviolet light
 - c. Adequate room ventilation
 - d. Hand washing
- 15. Unless no alternative is feasible, contaminated needles and sharps shall NOT be:
 - a. Recapped or removed
 - b. Bent or broken
 - c. Sheared
 - d. All of the above
- 16. Given no feasible alternative, bending, recapping or needle removal must be accomplished through the use of a mechanical device or a one-handed technique.
- 17. Appropriate containers for contaminated, reusable sharps are:
 - a. Puncture resistant
 - b. Labeled or color coded
 - c. Leak proof
 - d. All of the above

- 18. If you experience a needle stick or other exposure to blood or body fluids, which of the following should be done?
 - a. Immediately cleanse the affected area.
 - b. Report the exposure to the hospital's employee health service and complete the appropriate form.
 - c. Notify your supervisor/manager.
 - d. Follow the procedure for blood/body fluid exposure
 - e. Notify Health Source Global of the incident
 - f. All of the above
- 19. Which hospital employees are required to protect the confidentiality of HIV/AIDS related information?
 - a. Physicians, nurse, nurse practitioners, and physicians assistants
 - b. Billing department employees
 - c. Secretaries
 - d. Outreach workers
 - e. All of the above
- 20. What can you do to protect patient confidentiality?
 - a. Talk about patients only to those who "need to know" in order to deliver effective care
 - b. Talk about patients only at home or with friends.
 - c. Leave the medical record available to the patient's family and friends.
 - d. Leave patient information on the computer screen.
- 21. Which of the following are patient rights?
 - a. The right to know the name, function, and position of any hospital employee.
 - b. The right to receive emergency care if needed.
 - c. The right to receive considerate and respectful care in a clean and safe environment, free from unnecessary restraints.
 - d. The right to refuse treatment.
 - e. All of the above
- 22. Which statement is true regarding a health care proxy?
 - a. It allows a person to appoint someone they trust to decide about medical care and treatment if they lose the ability to decide for themselves.
 - b. It allows another designated person to make medical decisions for you even at times when you are able to make your own decisions.
 - c. Once written, it cannot be revoked
 - d. It only lists the person's wishes for health care options when they lose the ability to make such decisions.

- 23. Which statement is true in most acute care organizations about DNR orders?
 - a. They must be reviewed at certain periodic intervals.
 - b. The patient or health care proxy can revoke them at any time.
 - c. They are discussed in the organization's policy manual in detail.
 - d. All of the above
- 24. Each employee is responsible for:
 - a. Complying with applicable laws, regulations and contractual agreements.
 - b. Reporting any acts of non-compliance
 - c. Ethical conduct
 - d. All of the above
- 25. Which of the following statements regarding the reporting of a child abuse incident is true?
 - a. Report to Child Protective Services (or Agency) by telephone immediately
 - b. Submit a written report to same within 36 hours of incident
 - c. All of the above
- 26. Which of the following statements regarding the reporting of an elder abuse incident is true?
 - a. For long term care facilities, report incident to LTC Ombudsman or local law enforcement agency immediately.
 - b. All elder abuse must be reported to a local law enforcement agency or to the county APS (Adult Protective Services) office
 - c. All of the above
- 27. Which of the following statements regarding the reporting of a domestic violence or violent injury is NOT true?
 - a. Report incident immediately, or as soon as practically possible, by telephone to local law enforcement agency.
 - b. Within two working days, a written report must be submitted to local law enforcement agency.
 - c. Talk to your supervisor the next day.
- 28. What is considered professional misconduct?
 - a. Having a valid license
 - b. Practicing while impaired by alcohol, drugs, physical or mental disability
 - c. Utilizing appropriate infection control techniques.
 - d. Only delegating activities within the scope of the unlicensed staff member's job description.
 - e. All of the above

- 29. If any employee does not wish to participate in the care or treatment of a patient based on ethical, religious or cultural beliefs, the employee:
 - a. Needs to request to be excused from providing care or treatment
 - b. Should ensure that patient care is not compromised.
 - c. Follow the procedures of the institution regarding reporting of the situation.
 - d. All of the above
- 30. An adverse drug reaction is defined as a response to a medication that is undesired, unintended or unexpected in doses recognized in accepted medical practice that result in the following except:
 - a. Shorter hospital stay
 - b. Change in drug therapy
 - c. Discontinuation of the drug
 - d. Emergency room visit
- 31. Providing an environment free of sexual harassment is the responsibility of:
 - a. All staff
 - b. Faculty
 - c. Supervisors/administrators
 - d. All of the above
- 32. TRUE /FALSE Age specific guidelines means that patients are treated based upon their chronological age only.
- 33. TRUE /FALSE When caring for the geriatric patients, you should take into consideration that they may have short-term memory loss and loss of visual acuity.
- 34. TRUE /FALSE Tuberculosis is an airborne disease that must be inhaled and is not easily transmitted.
- 35. TRUE /FALSE When lifting heavy objects, you should bend at the waist and raise the object up as you are standing up. This places weight on the muscles that are strongest for lifting.
- 36. TRUE /FALSE Quality assurance and performance improvement are only the responsibilities of the regular hospital personnel and not that of the traveler or agency nurse.

I attest I am the person completing the Competency Test.

Signature Date

Medication 2011

- 1. The "7 Rights" of medication administration include:
 - A. Right patient, time, drug
 - B. Right dose, route, documentation
 - C. Right to refuse
 - D. All of the above
- 2. A patient taking Dilantin (phenytoin) for a seizure disorder is experiencing breakthrough seizures. A blood sample is taken to determine the serum drug level. Which of the following would indicate a sub-therapeutic level?
 - A. 15 mcg/ml
 - B. 4 mcg/ml
 - C. 10 mcg/dl
 - D. 5 mcg/dl
- 3. A patient arrives at the emergency department complaining of back pain. He reports taking at least 3 acetaminophen tablets every three hours for the past week without relief. Which of the following symptoms suggests acetaminophen toxicity?
 - A. Tinnitus
 - B. Diarrhea
 - C. Hypertension
 - D. Hepatic damage
- 4. The maximum recommended daily dosage (healthy adults) of acetaminophen is:
 - A. 3000mg
 - B. 2500mg
 - C. 4000mg
 - D. 6000mg

- 5. Ibuprofen should be avoided in patients with severe hepatic disease
 - A. True
 - B. False
- 6. The maximum recommended daily dosage(healthy adults) of ibuprofen is:
 - A. 2300mg
 - B. 3200mg
 - C. 1200mg
 - D. 4000mg
- 7. A nurse is counseling patients at a health clinic on the importance of immunizations. Which of the following information is the most accurate regarding immunizations?
 - A. All infectious diseases can be prevented with proper immunization.
 - B. Immunizations provide natural immunity from disease.
 - C. Immunizations are risk-free and should be universally administered.
 - D. Immunization provides acquired immunity from some specific diseases.
- 8. A nurse is performing routine assessment of an IV site in a patient receiving both IV fluids and medications through the line. Which of the following would indicate the need for discontinuation of the IV line as the next nursing action?
 - A. The patient complains of pain on movement.
 - B. The area proximal to the insertion site is reddened, warm, and painful.
 - C. The IV solution is infusing too slowly, particularly when the limb is elevated.
 - D. A hematoma is visible in the area of the IV insertion site.
- 9. A hospitalized patient is receiving packed red blood cells (PRBCs) for treatment of severe anemia. Which of the following is the most accurate statement?
 - A. Transfusion reaction is most likely immediately after the infusion is complete.
 - B. PRBCs are best infused slowly through a 20g. IV catheter.
 - C. PRBCs should be flushed with a 5% dextrose solution.
 - D. A nurse should remain in the room during the first 15 minutes of infusion.

- 10. You have an order for a medication you are unfamiliar with. Prior to administration you should:
 - A. Familiarize yourself with the medication using available resources including the drug reference books, staff pharmacist, etc.
 - B. Ask your colleague for information regarding the medication.
 - C. Do nothing you don't have time to look up the medication.
 - D. None of the above
- 11. A physician orders 1500mg of liquid ibuprofen for a patient. You have available 500mg in 1cc, how much will you administer?
 - A. 3.5cc
 - B. 2cc
 - C. 3cc
 - D. 5.25cc
- 12. Your patient is taking Digoxin. All of the following are side effects of toxicity except:
 - A. Bradycardia and other arrhythmias
 - B. Visual disturbances
 - C. Hallucinations
 - D. Abdominal pain, anorexia, nausea, and vomiting
- 13. Which of the following drugs should not be crushed:
 - A. Cardizem (diltiazem) tablet
 - B. Oxycontin (oxycodone) tablet
 - C. Prilosec (omeprazole)
 - D. All of the above
- 14. Your patient request pain medication. Documentation will include:
 - A. Pain assessment before and 30 minutes after administration
 - B. Patients response to medication
 - C. Date, time, drug, dose, route
 - D. All of the above

- 15. The primary danger of giving an IM injection in the wrong area of the buttock is:
 - A. Poor medication absorption
 - B. Abscess formation secondary to fecal contamination
 - C. Damage to the sciatic nerve
 - D. Damage to the underlying bony tissue
- 16. Dr. B. orders a liter of D5LR to infuse over 8 hours. The drop factor is 15 gtts/min. What is the drip rate per minute?
 - A. 33 gtts/min
 - B. 24 gtts/min
 - C. 31 gtts/min
 - D. 28 gtts/min
- 17. Dr. Smith writes an order for Penicillin G 1.2 million units IM daily. Available dose is: Penicillin G 9 million units/1 ml. How many milliliters will you give?
 - A. 0.15 ml
 - B. 0.13 ml
 - C. 1.12 ml
 - D. 0.05 ml
- 18. Which of the following pain scales is most commonly used for patients 9 years of age and older?
 - A. Wong Baker pain scale
 - B. Numeric pain scale
 - C. FLACC (face, legs, activity, cry, consolability) scale
 - D. CRIES (crying, oxygenation, vital signs, facial expression, sleeplessness) scale

- 19. A diabetic patient has a blood glucose level of 22 mg/dl, confirmed by lab draw. You would:
 - A. Give orange juice and report to the next shift.
 - B. Give insulin as ordered and tell the patient to call if they feel worse.
 - C. Provide glucose source and carbohydrates, call MD, continue to monitor blood glucose levels, and await further orders.
 - D. Call the patients family and ask them to bring candy during the next visiting hours.
- 20. Mr. Jones is newly diagnosed with hypertension. His doctor started him on Atenolol 50mg by mouth daily. Prior to administration of this medication, the nurse should:
 - A. Have Mr. Jones drink more fluids.
 - B. Check Mr. Jones blood pressure and hold the medication if blood pressure is below prescribed parameters.
 - C. Assure Mr. Jones his hypertension will resolve with proper exercise.
 - D. Order a dietary consult to educate Mr. Jones about his dietary needs.
- 21. You have a patient who weighs 75 lbs. How many kilograms does this patient weigh?
 - A. 32.0 kg
 - B. 35.6 kg
 - C. 34.1 kg
 - D. 30.8 kg
- 22. A newly diagnosed 8 year old child with type 1 diabetes mellitus and his mother are receiving diabetes education prior to discharge. The physician has prescribed Glucagon for emergency use. The mother asks the purpose of this medication. Which of the following statements by the nurse is correct?
 - A. Glucagon enhances the effect of insulin in case the blood sugar remains high one hour after injection.
 - B. Glucagon treats hypoglycemia resulting from insulin overdose.
 - C. Glucagon treats lipoatrophy from insulin injection.
 - D. Glucagon prolongs the effect of insulin, allowing fewer injections.

- 23. Mr. Smith has recently been prescribed nitroglycerin for treatment of angina. He calls the nurse complaining of frequent headaches. Which of the following responses to the patient is correct?
 - A. "Stop taking the nitroglycerin and see if the headache improves."
 - B. "Go to the emergency department to be checked because nitroglycerin can cause bleeding in the brain."
 - C. "Headaches are a frequent side effect of nitroglycerin because it causes vasodilatation."
 - D. "The headaches are unlikely to be related to the nitroglycerin, so you should see you doctor for further investigation."
- 24. A mental health patient is taking Haldol (haloperidol) for treatment of schizophrenia. The patient reports abnormal movements of her face and tongue. The nurse concludes that the patient is experiencing which of the following symptoms:
 - A. Co-morbid depression
 - B. Psychotic hallucinations
 - C. Negative symptoms of schizophrenia
 - D. Tardive dyskinesia
- 25. A patient has been diagnosed with acute gastritis. Which of the following medications would be contraindicated for this patient?
 - A. Naproxen sodium (Naprosyn)
 - B. Calcium carbonate
 - C. Clarithromycin (Biaxin)
 - D. Furosemide (Lasix)

I attest I am the person completing the Medication Test

Signature Date



Employment Reference

Applicant name:	SS#	[‡] :	
Name of Hospital/Facility:			
Address, City, State:			
Name of Supervisor:(Manager, Charge Nurse or higher) Pleas	e Print		Title
I hereby authorize my past and present employ about my job performance while in their employ employers and their representatives from all lia authorize HealthSource to disclose the client fac	yment, permanent bilities for issuing t	or temporary. I he	reby release all suc HealthSource. I also
Applicant's Signature			Date
	Above Average	Average	Below Average
Accurate and thorough documentation			
Adaptability to patient assignment			
Attendance and punctuality			
Enthusiasm toward job			
Communication skills			
Clinical skills			
Problem solving skills			
Professional appearance			
Productivity			
Professionalism			
Quality of work			
Cooperation			
Leadership ability			
Dates of Employment: From (MM/YY) Specialty / Unit worked		To (MM/YY)	v Employes
-	y-Off Resign	ed 🔲 Lemporar	y Employee
Would you hire this healthcare professional aga	in?	No	
Supervisor's Signature	Title		Date



Employment Reference

Applicant name:	SS#	[‡] :	
Name of Hospital/Facility:			
Address, City, State:			
Name of Supervisor: (Manager, Charge Nurse or higher) Please	e Print	·	Title
I hereby authorize my past and present employ about my job performance while in their employ employers and their representatives from all lia authorize HealthSource to disclose the client fac	yment, permanent bilities for issuing t	or temporary. I he	reby release all suc HealthSource. I also
Applicant's Signature			Date
	Above Average	Average	Below Average
Accurate and thorough documentation			
Adaptability to patient assignment			
Attendance and punctuality			
Enthusiasm toward job			
Communication skills			
Clinical skills			
Problem solving skills			
Professional appearance			
Productivity			
Professionalism			
Quality of work			
Cooperation			
Leadership ability			
Dates of Employment: From (MM/YY) Specialty / Unit worked		To (MM/YY)	
Reason for Leaving: Terminated La	y-Off Resign	ed 🗌 Temporar	y Employee
Would you hire this healthcare professional aga	in? 🗌 Yes 📗	No	
Supervisor's Signature	Title		Date



Physicians Statement

Applicant name:	•		SS#:		
Applicant name:	Tube	rculosis Scr	_		
	Date Given	Date Read		Res	sults
PPD/ TB Skin Test			Induration mm Negative Positive Circle One		
Chest X-ray (if PPD +)	*				
*Attach copy of the rad	iology report and a c	opy of the +PPD	reading.		
	Imn	nunization S	tatus		
Document date of vacci	no/titro and results	Attach all Titro	laboratory ropo	orto	
Vaccination	Vaccination Date			sults	
Tetanus	Vaccination Bate		1100	Juits	
MMR Vaccine 1					
MMR Vaccine 2					
Hepatitis B Vaccine 1					
Hepatitis B Vaccine 2					
Hepatitis B Vaccine 3					
Varivax Vaccine					
		Titres			
Titre	Titre Date		Results		
Rubella Titre			_ Immune	No	on-Immune
Rubeola Titre			_ Immune	No	on-Immune
Mumps Titre			_ Immune	No	on-Immune
Varicella Titre			_ Immune	No	on-Immune
Hepatitis B Titre			_ Immune	No	on-Immune
The above named patie free of communicable professional.					
Physician's Signature	e Lico	ense Number			Date of Exam
Physician's Name	City	y/State			Telephone



Hepatitis B Vaccination Declination

OSHA requires all health care workers to have the opportunity to have the Hepatitis B Vaccination offered to them, by their employer.

- 1. If you decline to have the Hepatitis B Vaccine, please indicate this by signing and dating under Declination.
- 2. If you have completed the vaccination series, please indicate this by signing and dating under Completed Series. You must provide documentation of the vaccinations if you sign that you have completed the series.
- 3. If you are in the process of receiving the series, please indicate this by signing and dating Vaccinations in Progress. Please indicate if you require a dose of the vaccine.

I understand that I will be provided appropriate training at my assigned workplace and will adhere to the policies and procedures of the facility to which I am assigned. I understand that due to my occupational exposure to blood and/or other potentially infectious materials, I may be at risk of acquiring Hepatitis B virus (HBV) infection. I have been given the opportunity to be vaccinated with the Hepatitis B vaccine, at no cost to me, while on active assignment with HealthSource Global Staffing.

DECLINATION

I decline the Hepatitis B vaccine series. I understand that by declining this vaccine, I continue to be at risk of acquiring Hepatitis B, a serious disease. If in the future I continue to have occupational exposure to blood or other infectious material and want to be vaccinated with Hepatitis B vaccine, I can receive the vaccination series at no charge to myself, while on assignment with HealthSource Global Staffing. I accept the responsibility to inform HealthSource Global Staffing of this decision at that time.

Date	Signature
	delines and decline because I have completed the Hepatitis B Vaccination. I of the series to HealthSource Global Staffing.
Date	Signature
to complete the series or Global Staffing to receive	delines and need # or booster in the series. I will make arrangements booster, or if on assignment, I will make arrangements with HealthSource this dose of the vaccine series. I will provide documentation of the rce Global Staffing and provide appropriate updates.
Date	Signature



Annual TB Questionnaire

The Annual Tuberculosis Questionnaire is used to evaluate your current TB status. We cannot utilize the tuberculin skin test (PPD or Mantoux), because you have a positive reaction to the test. A position skin test means that sometime during your life you came into contact with tuberculosis or have had a vaccination to prevent you from contracting tuberculosis. It does not mean that you have TB now.

In the past yearly chest x-rays were performed; however, recent studies show that they are unnecessary. Instead, this health survey will assist Employee Health to monitor possible TB Symptoms. Chest x-rays are required every two years.

TB symptoms can progress slowly and/or mimic other diseases. You can develop symptoms of TB a few weeks after contracting the bacteria – or not until years after the initial infection. This questionnaire targets some of the most common symptoms. Please familiarize yourself with them. You are the first to know when you are not feeling well and may have TB symptoms.

Tuberculosis Health Check Survey

Have you ever experienced any of the following symptoms NOT associated with a specific illness (i.e. flu or cold) and lasting 3 weeks or longer?	
Cough	☐ Yes ☐ No
Blood Streaked Sputum (phle	egm)
Loss of Weight (unplanned)	☐ Yes ☐ No
Night Sweats	☐ Yes ☐ No
Fever	☐ Yes ☐ No
Anorexia (loss of appetite)	☐ Yes ☐ No
This authorization will expire one year from the dated signature below.	
Print Name	
Signature	Date